

PART 2: PRICING DATA

NEC3 Supply Contract

Document reference	Title
C2.1	Pricing assumptions
C2.2	The <i>price schedule</i>

C2.1 Pricing assumptions

1. How goods and services are priced and assessed for payment

Clause 11 in NEC3 Supply Contract, (SC3) core clauses states:

Identified and defined terms	11 11.2	(11) The Prices are the amounts stated in the price column of the Price Schedule. Where a quantity is stated for an item in the Price Schedule, the Price is calculated by multiplying the quantity by the rate. (12) The Price Schedule is the <i>price schedule</i> unless later changed in accordance with this contract.
Assessing the amount due	50.2	The amount due is <ul style="list-style-type: none">• the Price for each lump sum item in the Price Schedule which the <i>Supplier</i> has completed,• where a quantity is stated for an item in the Price Schedule, an amount calculated by multiplying the quantity which the <i>Supplier</i> has completed by the rate,• plus other amounts to be paid to the <i>Supplier</i>,• less amounts to be paid by or retained from the <i>Supplier</i>. <p>Any tax which the law requires the <i>Purchaser</i> to pay to the <i>Supplier</i> is included in the amount due.</p>

This confirms that the Supply Contract is a priced contract where the Prices are derived from a list of items of *goods* and *services* which can be priced as lump sums or as expected quantities of *goods* and *services* multiplied by a rate, or a mix of both.

2. Function of the Price Schedule

Clause 53.1 states: "Information in the Price Schedule is not Goods Information". This confirms that instructions to do work or how it is to be done are not included in the Price Schedule but in the Goods Information. This is further confirmed by Clause 20.1 which states, "The *Supplier* Provides the Goods and Services in accordance with the Goods Information". Hence the *Supplier* does **not** Provide the Goods and Services in accordance with the Price Schedule. The Price Schedule is only a pricing document.

3. Preparing the *price schedule*

Items in the *price schedule* may have been inserted by the *Purchaser* and the tendering supplier should insert any additional items which he considers necessary. Whichever party provides the items in the *price schedule* the total of the Prices is assumed to be fully inclusive of everything necessary to Provide the Goods and Services as described at the time of entering into this contract.

It will be assumed that the tendering supplier has

- Read Pages 8, 11, 12 and Appendix 5 of the SC3 Guidance Notes before preparing the *price schedule*;
- Included in his Prices and rates for correction of Defects (core clause 43.1) as there is no compensation event for this unless the Defect is due to a *Supplier's* risk;
- Spread the cost of doing work he chooses not to list as separate items in the *price schedule*

across other Prices and rates in order to fulfil the obligation to Provide the Goods and Services for the tendered total of the Prices;

- Understood that there is no adjustment to lump sum prices in the *price schedule* if the amount, or quantity, of work within that lump sum item later turns out to be different to that which the *Supplier* estimated at time of tender. The only basis for a change to the Prices is as a result of a compensation event per clause 60.1;
- Understood that the *Supplier* does not have to allow in his Prices and rates for matters that may arise as a result of a compensation event.

3.1. Format of the *price schedule*

Entries in the first four columns in the *price schedule* in section C2.2 are made either by the *Purchaser* or the tendering supplier.

If the *Supplier* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tendering supplier enters the amount in the Price column only, the Unit, Quantity and Rate columns being left blank.

If the *Supplier* is to be paid an amount for the item which is the rate for the item multiplied by the quantity completed, the tendering *Supplier* enters the rate which is then multiplied by the Quantity to produce the Price, which is also entered.

If the *Supplier* is to be paid an amount for an item proportional to the length of time for which the *goods* and *services* are provided, a unit of time is stated in the Unit column and the length of time (as a quantity of the stated units of time) is stated in the Quantity column.

C2.2 the *price schedule*

Item No.	Stock Number	Purchase Order Text	Qty	Rate	Total Amount
1	24874	FILTER, OIL: TYPE: CHANGEOVER; MATERIAL: STL; FOR USE ON LUBE OIL SYSTEM; PART NO: BDK-3-500-HB80-NB16-TXX8C, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
2	67491	FILTER, ELEMENT: DIMENSIONS: ID 25 X OD 45 X LG 210 MM; MATERIAL: GLASS FIBER; FILTERING RETENTION: 200 UM; R920-H-0803A; PART NO: HC9020FDP8H, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	600		
3	172902	FILTER, ELEMENT: TYPE: AIR; DIMENSIONS: SQ 500 X THK 50 MM; MATERIAL: FIBER SYNTHETIC; FILTERING RETENTION: 2 UM; BONA BRAND ONLY; GALVANIZED FRAME WITH EXPANDED METAL SCREEN WITH BAGS, TO BE DUSTPROOF PACKED; PART NO: 01-100-060, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	600		
4	172904	FILTER, ELEMENT: TYPE: AIR; DIMENSIONS: SQ 600 X THK 50 MM; MATERIAL: SYNTHETIC NON WOVEN; GALVANIZED FRAME WITH EXPANDED METAL SCREEN WITH BAGS, TO BE DUSTPROOF PACKED; PART NO: 01-100-056, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
5	172906	FILTER, ELEMENT: TYPE: AIR; DIMENSIONS: SQ 595 X WD 300 MM; MATERIAL: GLASS FIBER/ACRYLIC BONDING; FILTERING RETENTION: 663.95 PCT; KRAFT, SEPERATION IN A GALVANISED STEEL FRAME WITH NO HEADER, TO BE DUSTPROOF PACKED; PART NO: MICROCELL, SUPPLIER: UNKNOWN; PART NO: 01-200-110, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT	300		

Item No.	Stock Number	Purchase Order Text	Qty	Rate	Total Amount
		THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).			
6	172907	FILTER, ELEMENT: TYPE: AIR; DIMENSIONS: SQ 600 X LG 600 MM; MATERIAL: FRAME GALV; MEDIUM SYNTHETIC NON WOVEN; FILTERING RETENTION: 85 PCT; TO BE DUST PROOF PACKED; PART NO: 01-150-125, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5000		
7	190394	FILTER, OIL: TYPE: COALESCER; DIMENSIONS: ID 89 X OD 152 X LG 730 MM; MICRON: 5 UM; FOR USE ON LUB OIL PURIFIER MODEL V180, FILTERS MUST BE SEPERATELY PACKED IN SEALED PLASTIC BAGS TO PREVENT DUST INGRESS AND NOT TO BE OPENED TILL READY FOR USE; PART NO: CB28, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
8	190395	FILTER, OIL: TYPE: COALESCER; DIMENSIONS: ID 89 X OD 152 X LG 370 MM; MICRON: 5 UM; FOR USE ON OIL PURIFIER V180, ITEM TO BE PACKED IN PLASTIC AND CARTON TO PREVENT DUST AND MOIST INGRESS AND NOT TO BE OPENED UNTIL READY FOR USE; PART NO: SS614FD, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
9	193805	FILTER, ELEMENT: DIMENSIONS: ID 60 X OD 160 X LG 30 MM; MATERIAL: SS; FILTERING RETENTION: 125 UM; FOR USE ON YARWAY LEAK-OFF VALVE; PART NO: 10, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		

Item No.	Stock Number	Purchase Order Text	Qty	Rate	Total Amount
10	194116	FILTER, OIL: TYPE: LUBE; DIMENSIONS: ID 58 X OD 100 X LG 395 MM; MATERIAL: SS; MICRON: 20 UM; PART NO: D68804, SUPPLIER: UNKNOWN; PART NO: 3003737/25G, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
11	194117	FILTER, ELEMENT: TYPE: LUBE OIL; DIMENSIONS: ID 85 X OD 150 X LG 735 MM; MATERIAL: CLOTH; PART NO: PF 2001, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
12	211026	FILTER, ELEMENT: CONFLO AIR TECH; PART NO: E7-PV, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
13	211027	FILTER, OIL: CONFLO AIR TECH; REMOVAL; PART NO: E5-PV, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
14	211132	FILTER: TYPE: MILL MAIN GEARBOX; MAHLE; 768.099.4; DRAWING NO: 40; REFERENCE NO: 31.03.00; PART NO: PI8315, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
15	213699	FILTER, OIL: DIMENSIONS: 80 MM; MATERIAL: BETAMICRON-2N; MICRON: 10 UM; OEM HYTEC; PART NO: 0080MA010BN, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
16	213937	FILTER, OIL: DIMENSIONS: 170 MM; MATERIAL: PAPER; MICRON: 10 UM; INTERNORMAN, D-68804, ALTLUSSHEIM, 01.E 90.10VG.30.E.P, MILL MAIN MOTOR LUBE; PART NO: 300104-10VG, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	600		

Item No.	Stock Number	Purchase Order Text	Qty	Rate	Total Amount
17	214078	FILTER, ELEMENT: DIMENSIONS: 116 X 47 MM; FILTERING RETENTION: 10 UM; MILL QUICK CLOSE DAMPER, MP FILTRI, ITALY; PART NO: HP065-2-A10-AH, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
18	215141	FILTER, OIL: DIMENSIONS: 115 X 70 MM MATERIAL: PAPER MICRON: 10 UM PART NO: P3.0712-01 E39 PART NO: D115-71 VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER.	700		
19	217209	FILTER: TYPE: BREATHER; FOR FRF TANK; PART NO: HC0293SEE5, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
20	217768	FILTER, ELEMENT: TYPE: CARTRIDGE; DIMENSIONS: 720 X 450 MM; MATERIAL: VILEDON; PART NO: FE2504, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
21	224557	FILTER: TYPE: BARCO DUST; DIMENSIONS: WD 180 X LG 230 X HT 50 MM; MATERIAL: PAPER; MICRON: 5 UM; PART NO: R9842800, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
22	225884	FILTER: DIMENSIONS: ID 340 X OD 450 X LG 700 MM; MATERIAL: PP NON WOVEN; MICRON: 16 UM; MODEL NO: FE2509/47; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		

Item No.	Stock Number	Purchase Order Text	Qty	Rate	Total Amount
23	231610	FILTER, ELEMENT: TYPE: AIR SECONDARY WASHABLE; DIMENSIONS: SQ 600 X WD 300 MM; DUST SPOT, ARRESTANCE 99 PCT, RATED FLOW 3400 CU/M/H, INITIAL PRESSURE LOSS 60 PA, FINAL PRESSURE LOSS 600 PA, DUST HOLDING CAPACITY 680G; EFFICIENCY: 85 PCT; PART NO: CC-85PCT (WITH HEADER), SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	700		
24	231626	FILTER, OIL: MATERIAL: STL; MICRON: 10 U; SSC HYDRAULIC PAC; PART NO: HEK50-20-180-AS-FG010; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
25	244171	FILTER, ELEMENT: TYPE: HILITE-A; DIMENSIONS: ID 2-1/2 X OD 7 X LG 18 IN; MATERIAL: ALUMINA ACTIVATED; FILTERING RETENTION: 10 UM; REFERENCE NO: AT 718-00-CN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	600		
26	245301	FILTER, AIR: TYPE: DUST; DIMENSIONS: DIA 75 X LG 80 MM; MATERIAL: PAPER ORGANIC; MICRON: 10 UM; APPLICATION: TIPLER TRAIN POSITIONER, MAJUBA; SHAPE: CYLINDRICAL; , SUPPLIER: HAGGLUNDS DRIVES SA; PART NO: 577 6723-009, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
27	245307	FILTER, AIR: TYPE: DUST; DIMENSIONS: DIA 75 X LG 80 MM; MATERIAL: PAPER ORGANIC; MICRON: 10 UM; APPLICATION: TRAIN POSITIONER MAJUBA; SHAPE: CYLINDRICAL; , SUPPLIER: HAGGLUNDS DRIVES SA; PART NO: 577 6723-008, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		

Item No.	Stock Number	Purchase Order Text	Qty	Rate	Total Amount
28	245308	FILTER, ELEMENT: TYPE: DUST; DIMENSIONS: DIA 80 X LG 400 MM; MATERIAL: GLASS FIBER INORGANIC; FILTERING RETENTION: 10 UM; USED ON THE TIPPLER TRAIN POSITIONER, MAJUBA; , SUPPLIER: HAGGLUNDS DRIVE SA; PART NO: 478 3233 622, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
29	251657	FILTER, OIL: TYPE: PURIFIER; MICRON: 20 UM; APPLICATION: CONTROL OIL; MAJUBA; W/HYDAC FILTER ELEMENT; , SUPPLIER: HYTEC; PART NO: 02 40DO20BN4HC, SUPPLIER: UNKNOWN; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
30	559703	FILTER, AIR: DIMENSIONS: ID 69 X OD 114 X HT 253 MM; MATERIAL: PLASTIC; MICRON: 5; APPLICATION: SMOKE STACK; IP 54; REFERENCE NO: 5306091; PART NO: C11100; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		

Item No.	Stock Number	Purchase Order Text	Qty	Rate	Total Amount
31	579698	FILTER: TYPE: PARTICULATE DISC; DIMENSIONS: DIA 110 X DP 10 MM; MATERIAL: POLYESTER; POLYPROPYLENE; MICRON: 99 U; MEDIUM: LEGIONELLA; SPECIFICATION: EN143:2000 P2; CONTAINS ADVANCED ELECTRET MEDIA FOR MAXIMAL FILTRATION EFFICIENCY AND LIGHT WEIGHT; LOW BREATHING RESISTANCE; DURABLE WATER RESISTANT AND FLAME RETARDANT; BAYONET FITTING ENSURES PRECISE AND SAFER LOCKING; CAN BE USED ON HALF AND FULL FACE MASKS; ABLE TO BE USED FOR PROTECTION FROM MECHANICALLY AND/OR THERMALLY GENERATED PARTICULATES SUCH AS DUSTS; MISTS; WELDING FUMES; SMOKES AND BIOLOGICAL AGENTS SUCH AS LEGIONELLA; Q FEVER AND ANTHRAX; DISC FILTER 2125 IS CAPABLE OF PROVIDING PROTECTION AGAINST PARTICLES AT LEVELS UP TO TEN TIMES THE EXPOSURE STANDARD ON A HALF FACE MASK AND UP TO FIFTY TIMES THE EXPOSURE STANDARD ON A FULL FACE MASK; UNIQUE IDENTIFIER: 240-44175132; REFERENCE NO: M1860; PART NO: 2125 P2; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	7000		
32	586014	FILTER, AIR: TYPE: COMPACT CASSETTE; DIMENSIONS: SQ 600 X THK 300 MM; MATERIAL: SYNTHETIC FIBER WASHABLE; MICRON: 5 U; APPLICATION: EQUIPMENT ROOM; EFFICIENCY: 90-100 PCT; SHAPE: SQ; STANDARD: ISO9000; INITIAL PRESSURE DROP: 150 PA; FINAL PRESSURE DROP: 750 PA; AVERAGE ARRESTANCE: 99.8 %; ASHRAE EFFICIENCY: 90-95 %; DUST HOLDING CAPACITY: 440 G; RATED FACE VELOCITY: 2.5 M/S; RATED AIRFLOW: 0.944 M3/S; TECHNICAL DATA AND GRAPH BASED ON A 600 X 600 X 300; 95 % EFFICIENT CASSETTE FILTER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	2500		

Item No.	Stock Number	Purchase Order Text	Qty	Rate	Total Amount
33	586015	FILTER, AIR: TYPE: PLEATED PANEL; DIMENSIONS: SQ 600 X THK 50 MM; MATERIAL: POLYURETHANE; MICRON: 5 U; APPLICATION: EQUIPMENT ROOM; EFFICIENCY: 20 PCT; SHAPE: SQ; SPECIFICATION: WV350; STANDARD: ISO9000; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	5000		
34	595738	FILTER, BAG: TYPE: POCKET; DIMENSIONS: DIA 120 MM X LG 8 M X THK (2.5-3) MM; MATERIAL: PPS/PI BLEND; MICRON: 5-11 M3/M2; APPLICATION: ASH SILO; SHAPE: OVAL; ONE OPEN END WITH STAINLESS STEEL SNAPBAND COVERED WITH DOUBLE PROFILED FELT STRIP SEWN INTO WOVEN RYTON FALSE HEM; PART NO: SB001411; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
35	613381	FILTER, ELEMENT: DIMENSIONS: ID 10 X OD 10 X LG 125 MM; MATERIAL: BRS; SIMERM B; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
36	633202	FILTER, ELEMENT: TYPE: ELEMENT; DIMENSIONS: ID 24.14 X OD 47 X LG 114 MM; MATERIAL: PAPER; FILTERING RETENTION: 10 U; P=PAPER; A=INORGANIC MICROFIBRE; M=METAL; QUICK CLOSE DAMPER; MP FILTRI; PART NO: HP0652A10AH; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	300		
TOTAL					R -