Eskom	5	Specification		
Title: Eskom Vehicle S Specification	Safety	Document Identif	er:	32-345
		Alternative Refere	ence Numb	er: N/A
		Area of Applicabil	lity:	Eskom Holdings SOC Lto
		Functional Area:		Sustainability Division
		Revision:		4
		Total Pages:		11
		Next Review Date:		August 2020
		Disclosure Classi	fication:	Controlled Disclosure
Compiled by	Supported by	Functiona Responsit		Authorized by
1000			7	fat
Senior OHS Advisor	N Noveve Middle Mana OHS & Performa Management		Manager,	K. Pather General Manager
	Sustainability Systems	Sustainab Systems	ility	Sustainability Systems
1 1	Date:	Date: 2/9	15	Date: 3 9 2015

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	2 of 11

# Content

1.	Intro	duction	3
2.	Supp	porting Clauses	3
	2.1	Scope	3
		2.1.1 Purpose	3
		2.1.2 Applicability	3
		2.1.3 Effective date	
	2.2	Normative/Informative References	4
		2.2.1 Normative	4
		2.2.2 Informative	4
	2.3	Definitions	5
	2.4	Abbreviations	
	2.5	Roles and Responsibilities	6
	2.6	Process for Monitoring	
	2.7	Related/Supporting Documents	6
3.	Vehi	cle Safety Specifications	
	3.1	Standard minimum specifications	6
	3.2	Light Delivery Vehicles (LDVs) – Medium Commercial Vehicles < 3 500 kg	
	3.3	Heavy Commercial Vehicles with Gross Vehicle Mass (GVM) in excess of 3 500 kg	
	3.4	Minibuses	
	3.5	Midi-buses and buses	
	3.6	Trailers and caravans	
	3.7	Construction vehicles	
	3.8	Other requirements	D
4.	Acce	ptance1	0
5.	Revi	sions1	1
6.	Deve	elopment Team1	1
7.	Ackr	nowledgements1	1

#### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system.

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	3 of 11

## 1. Introduction

This document was developed to standardise the vehicle safety specifications across the organisation in order to comply with legislative and Eskom requirements. The specification stipulates the vehicle-related requirements that shall be adhered to in order to meet Eskom's internal procedural requirements as well as legislative requirements. In the event that this document does not include the specifications of certain vehicles or equipment used with vehicles, the division/operating unit/business unit shall ensure that all safety requirements are complied with in accordance with the relevant standard, regulations, code of practice or legislation for that specific vehicle and/or equipment.

## 2. Supporting Clauses

### 2.1 Scope

This document applies throughout Eskom Holdings SOC Limited, its divisions, subsidiaries and any entity in which Eskom has a controlling interest, for example, contractors employed to transport Eskom employees. It incorporates Eskom's specifications, the requirements of the National Road Traffic Act and the Construction Regulations, as incorporated in the Occupational Health and Safety Act (Act 85 of 1993), but excludes lifting machinery and mobile equipment.

### 2.1.1 Purpose

The purpose of the document is to standardise Eskom's vehicle specifications by stipulating the basic vehicle-related requirements for Eskom and for contractors carrying out work for, or on behalf of, Eskom. This document specifies the basic requirements that shall apply to all Eskom vehicles and to vehicles used for Eskom activities (when contracted out to third-party service providers) and includes contractors/subcontractors that are responsible for the transportation of Eskom employees and contractor employees.

The divisions, OUs, and/or BUs may determine supplementary requirements to suit their needs or work requirements, provided that such changes comply with the manufacturer's specifications, as well as the relevant legislation, and do not expose an employee or contractor (when contracted out to third-party service providers) to risk.

### 2.1.2 Applicability

This specification applies to vehicles and equipment throughout Eskom Holdings SOC Limited, divisions and subsidiaries, scheme vehicles or any vehicle the employee utilises for Eskom's business purposes.

### 2.1.3 Effective date

The date from which this document is effective is with immediate effect after the authorisation date. Only newly purchased vehicles and new contracts need to comply with this specification. The vehicles currently in the business will follow a phased approach to replace old vehicles as per the Fleet Services department plan.

#### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system.

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	4 of 11

### 2.2 Normative/Informative References

Parties using this document shall apply the most recent edition of the documents listed in the following paragraphs.

### 2.2.1 Normative

- [1] 240-62946386 Eskom Vehicle and Driver Safety Management Procedure
- [2] 32-129 Managing Eskom Business Vehicle Scheme
- [3] ISO 9001 Quality Management Systems
- [4] National Environmental Management Act, No. 107 of 1998
- [5] National Road Traffic Act, No. 93 of 1996
- [6] Mine Health and Safety Act No. 29 of 1996
- [7] Occupational Health and Safety Act, No. 85 of 1993.

### 2.2.2 Informative

- [8] 32-120 Eskom Marketing Policy
- [9] 32-136 Contractor Health and Safety Requirements
- [10] SANS 1563 The Strength of Large Passenger Vehicle Superstructures (Rollover Protection)
- [11] SANS 1055 Rear Under-run Protective Devices.

#### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system.

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	5 of 11

#### 2.3 Definitions

Definition	Explanation	
Anti-spray mud flaps	Mud flaps that reduce the mist spray behind the wheels.	
Bus	A vehicle that transports more than, or equal to, 35 passengers.	
Construction vehicle	Any vehicle that is used as a means of conveyance for transporting persons or material, or persons and material, on and off the construction site for the purposes of performing construction work	
	Any work in connection with—	
	a) the construction, erection, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure; or	
Construction works	b) the construction, erection, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system; or the moving of earth, clearing of land, the making of an excavation, piling, or any similar civil engineering structure or type of work.	
Driver camera	A video event recorder that continuously monitors but only captures driving behaviour and captures driving behaviour on a triggered/manual event and provides real-time driver feedback.	
Eskom-owned vehicle	Any vehicle purchased by Eskom, excluding scheme vehicles, or any vehicle the employee makes available for business purposes and that is insured directly or indirectly by Eskom.	
Management of change	The applicability and suitability (mechanical, electrical) of any changes or modifications to vehicles that affect the vehicle safety rating shall be approved by the Corporate OHS Manager.	
Midi bus	A vehicle that transports more than 16, but fewer than 35, passengers.	
Minibus	A vehicle that transports up to 16 passengers.	
Passenger vehicle	A vehicle used for transporting passengers, for example a minibus, midi-bus or bus, or a sedan including an LDV and a truck (HCV) when they are used for carrying passengers.	
Vehicle	Any vehicle propelled by a petrol, a diesel, or an electric energy source, used for performing work and/or for transporting people for Eskom's business.	
Responsible manager	A manager of a department, section, or operating/business unit, who has been appointed as part of the Eskom delegation of authority process, with the aim of assisting the applicable 16(2) assigned person in executing his/her duties in terms of the Occupational Health and Safety Act.	
Vehicle monitoring device (VMD)	A vehicle-monitoring device that monitors the speed, distance, location, ext. of a vehicle as well as driver behaviour.	

### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system.

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	6 of 11

### 2.4 Abbreviations

Abbreviation	Explanation
ABS	Antilock braking system
BU	Business unit
A&F	Assurance and Forensic
EDC	Eskom Documentation Centre
HCV	Heavy commercial vehicle
HRA	Health risk assessment
km/h	kilometres per hour
LED	Light-emitting diode
LDV	Light delivery vehicle
NRTA	National Road Traffic Act
OU	Operating unit
SANS	South African National Standards
SHE	Safety, health and environment
VMD	Vehicle monitoring device

### 2.5 Roles and Responsibilities

The delegated employer, in terms of section 16(2) of the OHS Act, together with the appointed responsible managers as per the OHS roles and responsibilities and statutory standard (240 - 62582234), shall be responsible for ensuring compliance with this specification in their designated area of responsibility.

## 2.6 Process for Monitoring

Compliance with the requirements of this specification shall be audited by the operating unit/business unit at least annually as part of an internal review process.

All records shall be audited by the Assurance and Forensic Department (A&F) or any person delegated by A&F to carry out the audit and at a frequency determined by A&F.

## 2.7 Related/Supporting Documents

Not applicable

# 3. Vehicle Safety Specifications

## 3.1 Standard minimum specifications

The standard minimum specifications are applicable to all Eskom-owned vehicles and vehicles used when performing work for Eskom Holdings SOC Limited and its subsidiaries, including contractors (subsidised transport, contractors, consultants, and any person insured directly or indirectly by Eskom, driving a vehicle within or beyond the borders of South Africa).

### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system.

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	7 of 11

All vehicles used for Eskom business shall meet the following requirements where available in the market:

- Factory-fitted antilock braking system (ABS) for all vehicles.
- Factory-fitted driver and passenger air bags.
- Alarm/immobiliser factory-fitted, and if not available by the manufacturer, it shall be fitted at approved fitment centres.
- Factory-fitted power steering.
- Tyres as per the manufacturer's specifications for the intended purpose. Managers have to consult the Eskom Fleet Services for advice, where needed, for special circumstances.
- Two emergency warning triangles.
- Factory-fitted air conditioner.
- Daylight lights for all Eskom-owned vehicles travelling on open roads. (When ignition is in the "on" position, lights should be switched on automatically) Vehicles not fitted with daylights must use the dipped lights in the on position for daylight driving.
- Reverse-park distance control sensor for Eskom-owned vehicles.
- Reverse beeper shall be standard on all heavy commercial vehicles, buses and construction equipment or vehicles being used on construction sites.
- All Eskom-owned vehicles must carry a label containing the wording "Emergency number (applicable contact number)", affixed to a conspicuous area on the rear right-hand side of the vehicle. The contact number(s) on the label must be the all-hours number(s) of the OU's/BU's. The labelling must be according to the corporate identity requirements.
- Vehicle monitoring devices (VMDs) have to be fitted in all Eskom-owned vehicles (including company vehicles).

Note:

- Hired or leased vehicles will comply to the treasury note of a B-class vehicle fitted with air bags and an ABS braking system.
- Private vehicle used for Eskom business must at least have dual airbags and an ABS braking system to be allowed to be used for business purposes.

## 3.2 Light Delivery Vehicles (LDVs) – Medium Commercial Vehicles < 3 500 kg

- LDVs shall meet the minimum requirements of this specification.
- All Eskom-owned LDVs shall be fitted with a roll bar suitable for cab protection as per the technical specification for Fleet services.

#### CONTROLLED DISCLOSURE

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	8 of 11

• Where other LDVs been used for Eskom business purposes, it is proposed that a risk assessment been conducted to establish what roll bar is required to provide adequate cab protection in case of an accident.

# 3.3 Heavy Commercial Vehicles with Gross Vehicle Mass (GVM) in excess of 3 500 kg

All trucks shall be in accordance with the provisions of the National Road Traffic Act, as amended, and shall meet the following basic requirements in addition to the standard minimum specifications:

- Reverse lights.
- Yellow reflective tape that must be fitted as per the National Road Traffic Act specification.
- Vehicles with cargo van bodies must have yellow reflective tape all around the body.
- Anti-spray mud flaps.
- Under-run protection device as per the SANS 1055 standards.
- Chevron warning plates as per the National Road Traffic Act specification.
- There must be a speed limit warning sign as per the National Road Traffic Act specification.
- Fitment of any other apparatus in such a manner that it would be sufficiently secured in the event of vehicle roll-over or collision.
- Large tool boxes shall be bolted down and kept locked at all times when not in use.

## 3.4 Minibuses

In addition to the standard minimum specifications and in accordance with the provisions of the National Road Traffic Act, as amended, all minibuses shall meet the following basic requirements:

- Three-point safety belts for every seat.
- No fold-up or jockey seats.
- A speed warning sign shall be displayed on the back of the minibus as per the National Road Traffic Act.
- Yellow reflective tape shall be fitted as per the National Road Traffic Act requirement.
- The driver's seat shall be adjustable and partitioned as per the National Road Traffic Act specification.
- The tyres shall comply with the manufacturer's specification for commercial use.
- The minibus shall have at least one emergency exit for every 12 passengers.
- No panel van or vehicle designed for goods delivery may be converted into a minibus.
- A sign should be affixed to the vehicle to indicate that the bus is equipped to transport people with disability.

### CONTROLLED DISCLOSURE

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	9 of 11

## 3.5 Midi-buses and buses

In addition to the standard minimum specifications and in accordance with the provisions of the Road Traffic Act, as amended, all midi-buses and buses shall meet the following basic requirements:

- SANS-approved safety belts for every seat.
- No fold-up or jockey seats.
- A speed warning sign shall be displayed on the back of every midi-bus/bus.
- Yellow reflective tape shall be fitted as per the National Road Traffic Act specification.
- The driver's seat shall be adjustable. The driver's compartment shall be partitioned as per the National Road Traffic Act specification.
- The tyres shall comply with the manufacturer's specification.
- The midi-bus/bus shall have at least two identified emergency exits for every 12 passengers.
- Steps shall have anti-slip treads.
- No panel van or vehicle designed for goods delivery may be converted into a midi-bus.
- Identified buses and midi-buses transporting employees with disabilities should be wheelchair friendly to accommodate the wheelchair being driven into the vehicle. A sign should be affixed to the vehicle to indicate that the bus is equipped to transport people with disabilities only if the vehicle is designed to transport disabled people.

## 3.6 Trailers and caravans

All Eskom-owned, rented and hired trailers and caravans shall meet the National Road Traffic Act requirements.

# 3.7 Construction vehicles

3.7.1 Minimum requirements:

All construction vehicles and equipment shall meet the legislative requirements pertaining to the OHS Act Construction Regulation 23, NRTA, the Mine Health and Safety Act and the National Environmental Act.

- Where appropriate, a construction vehicle must be fitted with structures designed to protect the operator from falling material or from being crushed should the vehicle overturn.
- Should be of an acceptable design and construction;
- Should be maintained in a good working order;
- Must be used in accordance with the design and intention for which they were designed, having due regard to safety and health;
- Must be operated by a person who-
  - has received appropriate training, is certified competent and in possession of proof of competency and is authorised in writing to operate those construction vehicles and mobile plant;

### CONTROLLED DISCLOSURE

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	10 of 11

- has a medical certificate of fitness to operate those construction vehicles and mobile plant, issued by an occupational health practitioner in the form of Annexure 3;
- Must have safe and suitable means of access and egress;
- Should be properly organised and controlled in any work situation by providing adequate signalling or other control arrangements to guard against the dangers relating to the movement of vehicles and plant, in order to ensure their continued safe operation;
- Should be equipped with an acoustic warning device which can be activated by the operator;
- Are equipped with an automatic acoustic reversing alarm; and
- Must be inspected by the authorised operator or driver on a daily basis using a relevant checklist prior to use and that the findings of such inspection should be recorded in a register kept in the construction vehicle or mobile plant.

### 3.8 Other requirements

**3.8.1** The following must be retrofitted in vehicles, where applicable:

- a) To improve vehicle visibility, the positioning and effectiveness of tail and hazard lights on all reconstructed load bodies must be assessed. Where necessary, lights must be fitted at an elevated height on LDVs, minibuses, midi-buses, buses, tractors and all vehicles fitted with canopies to ensure effective warning capabilities.
- b) Any changes or modifications to vehicles must be in accordance with the Fleet Management Policy and should be certified safe by the manufacturer, as per the relevant specifications.
- **3.8.2** Any items added to the vehicle shall be supplied and installed by the dealer or at approved fitment centres.

## 4. Acceptance

This document has been seen and accepted by:

Name	Designation			
National Vehicle Safety Workgroup / OHS Delivery Drakensberg				
Thulani Manuanua	Middle Manager, OHS Operational and Process Safety, Sustainability			
Thulani Ngwenya	Systems			
Nosipho Noveve	Middle Manager, OHS & Performance Manager, Sustainability Systems			
Dahia Dillau	Middle Manager, OHS & Contractor Manager, Construction OHS			
Robin Pillay	Management, Sustainability Systems			
Alex Stramrood	Senior Manager, Safety Risk Management, Sustainability Systems			

#### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system.

Document Title: Eskom Vehicle Safety Specification	Unique Identifier:	32-345
	Revision:	4
	Page:	11 of 11

## 5. Revisions

Date	Rev.	Compiler	Remarks
May 2010	1	PR Raophala	Revision of an existing document
May 2013	2	TJ Mabeleng	Revision of an existing document to align it to amended legislative and Eskom requirements.
Dec 2014	3	OC Swanepoel	Revision of an existing document to align it to amended legislative and Eskom requirements.
Sep 2015	4	OC Swanepoel	Revision of an existing document to align it to amended legislative and Eskom Requirements in line with Business Productive Process (BPP)

# 6. Development Team

The following people were involved in the development of this document:

- Ockert Swanepoel Sustainability Systems (Operational and Process Safety)
- Christo Krafft Shared Services
- Mary Tshabalala Shared Services
- Lazarus Muthimba Disability Forum
- Devilliers Rolihlahla Disability Forum
- Diff de Villiers Asset Technology
- Amanda Qithi Group Customer Services
- Pumeza Mabunda Group Information Technology
- Eric Ndlovu RT&D Technology
- Freddy Matotoka Transmission Division
- Hugh Koegelenberg Shared Services Generation Fleet Manager
- Jan Nieman Vehicle Safety Training
- Mark Ganesan Telecommunication

# 7. Acknowledgements

The contributions to this document by a number people are much appreciated.

### CONTROLLED DISCLOSURE