	NEW DECK AT SANBI ZIZI RESTAU	JRANT	•		
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SECTION NO. 1 BILL NO. 1 PRELIMINARIES				
1	Preliminary and general items (as per tender document/as per JBCC ED. 401)	Item	1		-
2	Site establishment	Item	1	-	-
	PRELIMINARIES				-

SECTION NO. 2 BILL NO. 1 ALTERATIONS		- - -
NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill		-
NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project		-
Please note that all useable material removed under this contract remain the property of the Contractor and credit for old material should be priced in the final summary of this document		-
DEMOLITIONS		
ALTERATIONS		-

SECTION NO. 2 BILL NO. 2 EARTHWORKS

NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill

NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project

SUPPLEMENTARY PREAMBLES

Nature of the ground

The Tenderer shall acquaint himself by personal examination of the nature of the ground. Descriptions of excavations shall be deemed to include all ground conditions classifiable as "earth" and where conditions of a more difficult character are indicated these are separately measured

Carting away of excavated material

Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or alternatively, from stock piles situated on the building site

Excavations

No claim for rock excavation will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling

"Soft rock" and "hard rock" shall be as defined in "Earthworks"

SITE CLEARANCE ETC

Site Clearance etc

Allow for clearing the area of the site to be built upon of all grass, weeds, shrubs, trees with trunks not exceeding 200mm 1 girth, debris, etc., including grubbing up all roots, scoffling up m2

as required and set aside grass for reuse. All grass to be provided to SANBI for re-use.

210

_

		1		I	1
	EXCAVATION, FILLING, ETC OTHER THAN BULK				-
	Excavation in earth not exceeding 2m deep				-
2	Column bases	m3	8		-
3	Strip footings	m3	12		-
4	Under surface bed	m3	4.5		-
5	Reduce levels under paving	m3	0.5		-
	Extra over excavations for excavations in				-
6	Soft Rock	m3	0.5		-
7	Hard Rock	m3	0.5		-
	Risk of collapse of excavations				-
8	Sides of trench and hole excavations not exceeding 1,5m deep	m2	1		-
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 95% Mod AASHTO density				-
9	Backfilling to trenches, holes, etc	m3	1		-
	Earthfilling (G6) supplied by the contractor compacted to 95% Mod AASHTO density				-
10	Under surface beds	m3	12		-
11	Under paving	m3	2		-
	Compaction of surfaces				-
12	Compaction of ground surface under floors etc including scarifying for a depth of 150mm, breaking down oversize material, and compacting to 95% Mod AASHTO density	m2	36		-
	Extra over all excavations for carting away				-
13	Surplus material from excavations and/or stock piles on site transported to a dumping site to be located by the contractor	m3	16		-

	Prescribed density tests on filling			-
14	"Modified AASHTO Density" tests	No	3	-
	SOIL TREATMENT			-
	Soil Herbicide			-
15	Protek Clear All Herbicide in ground or filling underdeck, steps, etc.	m2	210	-
	One layer of Plantex Weed Barrier below deck on soil			-
16	2nd layer - Plantex Weed barrier - 60 g/m ²	m2	196	-
17	1st layer Gravel - delivered to site	m3	10	-
18	3rd layer - Crushed Stone Grey 13/19mm - delivered to site	m3	8	-
	EARTHWORKS			-

	SECTION NO. 2				-
	BILL NO. 3 CONCRETE, FORMWORK AND REINFORCEMENT				-
	NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill				-
	NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project				-
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES				-
	10MPa/19mm concrete				-
1	Blinding layers	m3	0.5		-
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES				-
	25MPa/19mm concrete				-
2	Strip footings	m3	4.5		-
3	Column bases	m3	7.5		-
	REINFORCED CONCRETE				-
	25MPa/19mm concrete				-
4	Surface beds	m3	1.5		-
	TEST BLOCKS				-
5	Making and testing sets of 150 x 150 x 150mm concrete strength test cube	Sets	3		-
	CONCRETE SUNDRIES				-
	Finishing top surfaces of concrete with a ripple effect				-
6	Surface beds, slabs, etc	m2	12		-

	SMOOTH FORMWORK			-	
	Smooth formwork to sides			-	
7	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	21	-	
	MOVEMENT JOINTS			-	
	Construction joint			-	
8	150mm wide DPC placed vertically between concrete surface bed as a bond breaker	m	24	-	
	<u>Sawn joint</u>			-	
9	4mm Thick x 30mm deep saw cut joint in surface bed	m	5	-	
	Fabric reinforcement			-	
10	Type 245 fabric reinforcement in concrete surface beds, slabs, etc	m2	12	-	
	CONCRETE, FORMWORK AND REINFORCEMENT			-	

			_	
SECTION NO. 2			-	
BILL NO. 4			-	
PRECAST CONCRETE			-	
			-	
NOTE: Tenderers are advised to study the Model Preambles				
for Trades before pricing this Bill			-	
NOTE: Unless otherwise stated herein, all items in this bill				
shall be deemed to be a fixed price for the duration of this				
project			_	
			-	
PAVING_			-	
			-	
Paving of 80mm cembrick interlocking pavers with open			-	
joints on and including 20mm thick river sand bed with			-	
sand and cement mixture swept into joints			-	
1 Paving in herringbone pattern	m2	8	-	
	1112	0	-	
Existing Paving of interlocking pavers for reuse with open				
joints on and including 20mm thick river sand bed with sand				
and cement mixture swept into joints			-	
			-	
2 Paving previously set aside for re-use in herringbone pattern	m2	4	-	
PRECAST CONCRETE			-	
			-	

	SECTION NO. 2 BILL NO. 5 MASONRY			-
	NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill			-
	NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project			-
	FOUNDATIONS			-
	Brickwork in extra hard burnt clay bricks in cement mortar with all joints grouted in solid with liquid cement mortar			-
1	Half brick wall	m2	0.5	-
2	One brick wall	m2	12	-
	<u>SUPERSTRUCTURE</u>			-
	Brickwork of NFP clay bricks in class II mortar			-
3	Half brick wall	m2	0.5	-
4	One brick wall	m2	12	-
	Brick reinforcement			-
5	Brick reinforcement 75mm wide built into brick walls with sufficient laps at end joints, angles and intersections (measured net)	m	0.5	-
6	Brick reinforcement 150mm wide built into brick walls with sufficient laps at end joints, angles and intersections (measured net)	m	135	-

FACED BRICKWORK			-
External facings to match existing pointed with square horizontal and vertical joints			-
Extra over ordinary brickwork for facing and pointing in stretcher bond (foundations)	m2	1	-
Extra over ordinary brickwork for facing and pointing in stretcher bond (superstructure)	m2	12	-
MASONRY			-

				-
	SECTION NO. 2			-
	BILL NO. 6			-
	WATERPROOFING			-
	NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill			-
	NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project			-
	DAMPPROOFING OF WALLS AND FLOORS			-
	One layer of 375 micron "Consol Plastics Brikgrip DPC" embossed damp proof course			-
				-
1	In walls	m2	6	-
				-
	One layer of 250 micron USB green waterproof sheeting			
	sealed at laps and ends with pressure sensitive tape			-
				-
2	Under surface beds	m2	12	-
_	WATERPROOFING			-

SECTION NO. 2 BILL NO. 7 ROOF COVERINGS, ETC		- - - -
NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill		-
NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project		-
PROFILED METAL SHEETING AND ACCESSORIES		-
NOTE : The Contractor is to submit a certificate signed by the merchant, stating that the roof covering supplied complies with the required thickness specified		-
ROOF COVERINGS, ETC		-

SECTION NO. 2 BILL NO. 8 CARPENTRY AND JOINERY		
NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill		
NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project		
CARPENTRY AND JOINERY		

SECTION NO. 2 BILL NO. 9 CEILINGS, PARTITIONS AND ACCESS FLOORING		
NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill		-
NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project		-
CEILINGS, PARTITIONS AND ACCESS FLOORING		-

	SECTION NO. 2 BILL NO. 10 IRONMONGERY			
	NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill			-
	NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project			-
	HATCH, HANDLES, LOCKS, ETC			-
1	Complete 1.5m x 0.5m Hatch to side of deck with 35x35mm angle iron frame and hinges, and cladded with fascia board, to create access to underside of deck.	No	1	-
	IRONMONGERY			 -

	SECTION NO. 2 BILL NO. 11			
	STRUCTURAL STEELWORK			-
	NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill			-
	NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project			-
	SUPPLEMENTARY PREAMBLES			-
	Bolts, nuts and washers are deemed to be included in descriptions			-
	Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete			-
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washersand mortices in brickwork or concrete			-
	All structural steelwork to be delivered on site with workshop applied prime coat			-
	THE FOLLOWING IN NEW STEEL BALUSTRADE			-
1	Amount for Stair Steel balustrade, connections and accessories deducted in part or in whole if not required	ltem	1	-
2	Amount for Steel balustrade, connections and accessories deducted in part or in whole if not required	Item	1	-
3	Amount for Cleats, connector plates, gussets, end plates, base plates, etc	Item	1	-
	DECK INSTALLATION			-
4	Amount for Decking material, fascia edging, connections and accessories deducted in part or in whole if not required (delivered to site). Eva Last or equivalent approved material.	Item	1	
5	Amount for Galvanised Struct Framing System deducted in part or in whole if not required. Eva Last system or equivalent approved.	ltem	1	-

	Amount for side cladding, fascia edging, connections and accessories deducted in part or in whole if not required. Eva Last or equivalent approved material.	ltem	1	- - -	
	Rate of complete installation of deck per m ² including fascias, and railings, and balustrades etc with structural sign off	m2	190	-	
1	STRUCTURAL STEELWORK			-	1

SECTION NO. 2 BILL NO. 12 METALWORK		- - - -
NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill		-
NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project		-
METALWORK		-

	SECTION NO. 2 BILL NO. 13 PLASTERING			
	NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill			-
	NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project			-
	<u>SCREEDS</u>			-
	1:3 Cement plaster screeds steel trowelled on concrete			-
1	30mm Thick on floors	m2	12	-
	PLASTERING			-

SECTION NO. 2 BILL NO. 14 TILING		- - - -
NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill		-
NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project		
TILING		-

SECTION NO. 2 BILL NO. 15 PLUMBING AND DRAINAGE		
NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill		
NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project		
PLUMBING AND DRAINAGE		

SECTION NO. 2 BILL NO. 16 PAINTWORK

NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill

_

_

NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to be a fixed price for the duration of this project

PREPARATORY WORK TO EXISTING WORK

Previously painted plaster board surfaces

Surfaces shall be thoroughly cleaned down. Blistered and peeling paint shall be completely removed and primed

Previously painted plastered surfaces

Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth. Surfaces shall be sanded down to a matt surface to ensure paint adhesion, dusted down ro remove all powdery material, washed with Polycell sugar soap and clean water and allowed to dry completely.

Previously painted metal surfaces

Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal.

Previously painted wood surfaces

Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth

	PAINTWORK, ETC. TO NEW WORK ON METAL			-
	Prepare, clean and paint one coat primer, one undercoat and two full coats "Super Universal Enamel" paint on as per Arch dwg's			-
1	RAMP AND FAÇADE COLUMNS	m2	6	-
2	FAÇADE HORISONTALS	m2	30	-
3	FAÇADE VERTICALS	m2	20	-
	PAINTWORK			-

	BUILDERSWORK		
1	Alterations		-
2	Earthworks		-
3	Concrete, Formwork & Reinforcement		-
4	Precast concrete		-
5	Masonry		-
6	Waterproofing		-
7	Roof Coverings		-
8	Carpentry and Joinery		-
9	Ceilings, Partitions and Access Flooring		-
10	Ironmongery		-
11	Structural Steel		-
12	Metalwork		-
13	Plastering		-
14	Tiling		-
15	Plumbing and Drainage		-
16	Paintwork		-
	BUILDERSWORK TOTAL		-

	SECTION NO. 3 BILL NO. 1 PROVISIONAL SUMS AND PRIME COST AMOUNTS				- - -
	PROVISIONAL SUMS				-
	All provisional sums cover supply of material and equipment and installation. Provisional sums are net and do not include builder's discount (excluding settlement discount) and Value- Added Tax but the Tenderer may allow under "Profit" items any profit he considers necessary				-
	DEMOLITION OF EXISTING STAIRS (IF REQUIRED)				-
1	Allow the provisional amount of R1000,00 (One thousand rand) for partial demolition of existing stairs if required	ltem	1	1 000.00	1 000.00
2	Allow for profit	ltem	1	250.00	- 250.00
	<u>Other</u>				-
1		Item	1		-
2		Item	1		-
3		ltem	1		-
	PROVISIONAL SUMS AND PRIME COST AMOUNTS				_

	SECTIONS				
1	Preliminaries and General				-
2	Builders Work				-
3	Provisional Sums and Prime Cost Amounts				
	SUB-TOTAL				-
	Contingency Allowance (5%)	Item	1	-	-
	SUB-TOTAL				-
	ADD: VALUE ADDED TAX (VAT) @ 15 %				-
	TOTAL				-